



ANSWERS



1. COMPLEX NUMBER

EXERCISE 1.1

- Q.1 i) 0 ii) $11i$
- Q.2 i) $(3-i)$ ii) $(3+i)$
 iii) $-\sqrt{5} + \sqrt{7}i$ iv) $\sqrt{5}i$
 v) $-5i$ vi) $(\sqrt{5} + i)$
 vii) $(\sqrt{2} - \sqrt{3}i)$ viii) $\cos\theta - i\sin\theta$
- Q.3 i) $a = 3, b = \frac{1}{2}$ ii) $a = 5, b = 0$
 iii) $a = -3, b = 7$ iv) $a = \pm 2, b = \pm 6$
 v) $a = \frac{3}{13}, b = \frac{2}{13}$
 vi) $a = \frac{3}{2}, b = \frac{-1}{2}$
- Q.4 i) $a = -4, b = -3$ ii) $a = 0, b = 1$
 iii) $a = \frac{-7}{2}, b = \frac{1}{2}$ iv) $a = \frac{3}{10}, b = \frac{-1}{10}$
 v) $a = -1, b = 0$ vi) $a = \frac{-8}{29}, b = 0$
 vii) $a = \frac{-1}{4}, b = \frac{-1}{4}$
 viii) $a = \frac{11}{19}, b = \frac{2\sqrt{3}}{19}$
 ix) $a = \frac{23}{13}, b = \frac{15}{13}$

Q.6 $4 + 6i$

Q.7 i) $-i$ ii) 1

iii) i iv) 1

v) $-i$ vi) -1

vii) 1 viii) 0

Q.9 i) $2i$ ii) 0

Q.10 -1

Q.11 1

Q.13 Yes, its value $= -2 \in \mathbb{R}$

Q.14 $2i$

Q.16 0

Q. 24 i) $x = 1, y = 2$ ii) $x = -2, y = 2$

iii) $x = 1, y = 2$ iv) $x + y = 3$

v) $x + y = 9$

EXERCISE 1.2

- Q.1 i) $\pm(1-3i)$ ii) $\pm(4+3i)$
 iii) $\pm(2-\sqrt{3}i)$ iv) $\pm(\sqrt{5}+\sqrt{2}i)$
 v) $\pm(\sqrt{3}-i)$ ii) $\pm(\sqrt{5}+\sqrt{2}i)$

Q.2 i) $\frac{-1+\sqrt{7}i}{8}, \frac{-1-\sqrt{7}i}{8}$

ii) $\frac{\sqrt{3}+\sqrt{5}i}{4}, \frac{\sqrt{3}-\sqrt{5}i}{4}$

$$\text{iii) } \frac{7+\sqrt{11}i}{6}, \frac{7-\sqrt{11}i}{6} \quad \text{iv) } 2+3i, 2-3i$$

$$\text{Q.3 i) } -5i, 2i \quad \text{ii) } \frac{i}{2}, -2i$$

$$\text{iii) } -2i \quad \text{iv) } -2i$$

$$\text{Q.4 i) } -1+2i, 3-i \quad \text{ii) } 3\sqrt{2}, 2i$$

$$\text{iii) } 2+3i, 3-4i \quad \text{iv) } 1-i, \frac{4}{5}, \frac{-2i}{5}$$

$$\text{Q.5 i) } 7 \quad \text{ii) } 2$$

$$\text{iii) } 7 \quad \text{iv) } 200-264i$$

$$\text{v) } 6$$

$$\text{iv) } \frac{1}{\sqrt{2}} \left(\cos \frac{7\pi}{4} + i \sin \frac{7\pi}{4} \right); \frac{1}{\sqrt{2}} e^{\frac{7\pi}{4}i}$$

$$\text{v) } \frac{1}{\sqrt{2}} \left(\cos \frac{3\pi}{4} + i \sin \frac{3\pi}{4} \right); \frac{1}{\sqrt{2}} e^{\frac{3\pi}{4}i}$$

$$\text{vi) } \sqrt{2} \left(\cos \frac{3\pi}{4} + i \sin \frac{3\pi}{4} \right); \sqrt{2} e^{\frac{3\pi}{4}i}$$

$$\text{Q.5 i) } \frac{3}{2} + \frac{\sqrt{3}i}{2} \quad \text{ii) } (1-i)$$

$$\text{iii) } \frac{-7\sqrt{3}}{2} - \frac{7i}{2} \quad \text{iv) } \frac{1+\sqrt{3}i}{2}$$

$$\text{v) } \frac{-1+i\sqrt{3}}{2} \quad \text{vi) } \frac{-\sqrt{3}+i}{2}$$

$$\text{Q.6 } \frac{1}{\sqrt{2}}, \frac{3\pi}{4}$$

$$\text{Q.7 } \sqrt{2} (\cos \theta + i \sin \theta) \text{ where}$$

$$\tan \theta = \frac{\sqrt{3}+1}{\sqrt{3}-1}$$

EXERCISE 1.3

$$\text{Q.1 i) } \sqrt{74}, -\tan^{-1} \left(\frac{5}{7} \right)$$

$$\text{ii) } i, \tan^{-1} \left(\frac{\sqrt{2}}{\sqrt{3}} \right)$$

$$\text{iii) } 17, -\tan^{-1} \left(\frac{15}{8} \right) \quad \text{iv) } 3\sqrt{2}, \frac{3\pi}{4}$$

$$\text{v) } 4\sqrt{2}, \frac{\pi}{4} \quad \text{vi) } \frac{11\pi}{6}$$

$$\text{vii) } 3, 0 \quad \text{viii) } \sqrt{2}, \frac{\pi}{4}$$

$$\text{ix) } 2, \frac{\pi}{3} \quad \text{x) } 5\sqrt{2}, \tan^{-1} 7$$

$$\text{Q.2 } \theta = n\pi, n \in \mathbb{Z}$$

$$\text{Q.4 i) } 2 \left(\cos \frac{2\pi}{3} + i \sin \frac{2\pi}{3} \right); 2e^{\frac{2\pi}{3}i}$$

$$\text{ii) } 1 \left(\cos \frac{3\pi}{2} + i \sin \frac{3\pi}{2} \right); e^{\frac{3\pi}{2}i}$$

$$\text{iii) } 1 (\cos \pi + i \sin \pi); e^{\pi i}$$

EXERCISE 1.4

$$\text{Q.1 i) } 1 \quad \text{ii) } 1$$

$$\text{iii) } 1 \quad \text{iv) } 1$$

$$\text{Q.3 i) } -1 \quad \text{ii) } 0$$

$$\text{iii) } -1 \quad \text{iv) } 0$$

$$\text{v) } 1$$

$$\text{Q.6 i) } x^2 + y^2 = 100 \quad \text{ii) } (x-3)^2 + y^2 = 4$$

$$\text{iii) } (x-5)^2 + (y+6)^2 = 25$$

$$\text{iv) } x+2=0 \quad \text{v) } y=-x$$

$$\text{vi) } 2y-3=0$$

$$\text{Q.7 i) } \cos 2\theta + i \sin 2\theta \quad \text{ii) } \cos 11\theta + i \sin 11\theta$$

$$\text{iii) } 1$$

- Q.8 i) $-4+4i$ ii) $-8i$
 iii) $-8+8\sqrt{3}i$ iv) $512\sqrt{3}+512i$

MISECLLANEOUS EXERCISE - 1

(I)

Q. No.	1	2	3	4	5
Ans	B	D	A	C	B

6	7	8	9	10
B	B	A	D	D

(II) 1)

- i) $(3+8i)$ ii) $-4+0i$
 iii) $(14-5i)$ iv) $\frac{15}{2}-10i$
 v) $-30+10i$ vi) $\frac{1}{2}+\frac{7}{2}i$
 vii) $\frac{-35}{26}-\frac{45}{26}i$ viii) $\frac{1}{4}+\frac{\sqrt{15}}{4}i$
 ix) $-i$ x) $\frac{40}{25}+\frac{56}{25}i$
- 2) i) $x=2, y=1$ ii) $x=17, y=19$
 iii) $x=\frac{28}{61}, y=\frac{3}{61}$ iv) $x=4, y=-2$
- 3) i) $-i$ ii) 0
- 4) i) 1 ii) 0
- 5) i) $\pm(3+5i)$ ii) $\pm(4-i)$
 iii) $\pm(\sqrt{3}+i)$ iv) $\pm(3+3i)$
 v) $\pm(2-i)$ vi) $\pm\sqrt{2}(2+i)$

6) i) $17, \tan^{-1}\left(\frac{15}{8}\right),$

$17(\cos\theta + i\sin\theta)$ where $\tan\theta = \frac{15}{8}$

ii) $\sqrt{37}, \theta = \tan^{-1}\left(\frac{-1}{6}\right),$

$\sqrt{37}(\cos\theta + i\sin\theta)$ where $\tan\theta = \frac{-1}{6}$

iii) $1, \frac{\pi}{3}, 1\left(\cos\frac{\pi}{3} + i\sin\frac{\pi}{3}\right)$

iv) $1, 5\frac{\pi}{4}, 1\left(\cos 5\frac{\pi}{4} + i\sin\left(5\frac{\pi}{4}\right)\right)$

v) $2, \frac{\pi}{2}, 2\left(\cos\frac{\pi}{2} + i\sin\frac{\pi}{2}\right)$

vi) $3, \frac{3\pi}{2}, 3\left(\cos\frac{3\pi}{2} + i\sin\frac{3\pi}{2}\right)$

vii) $1, \frac{\pi}{4}, 1\left(\cos\frac{\pi}{4} + i\sin\frac{\pi}{4}\right)$

9) $x=1, y=2$

12) i) $2\left(\cos\frac{\pi}{3} + i\sin\frac{\pi}{3}\right); 2e^{\frac{\pi}{3}i}$

ii) $\sqrt{38}(\cos\theta + i\sin\theta)$ where $\tan\theta = \frac{-\sqrt{2}}{6};$
 $\sqrt{38}e^{i\theta}$

iii) $3(\cos\theta + i\sin\theta)$ where $\tan\theta = -\sqrt{3};$
 $3e^{i\theta}$

16) i) $-i$ ii) 0 iii) -1

17) $\frac{1}{4}+\frac{9}{4}i$

20) 2

2. SEQUENCES AND SERIES

EXERCISE 2.1

1) i), ii) and iii) are G.Ps iv) and v) not G.Ps.

i) $2(3)^{n-1}$ ii) $(-5)^{n-1}$ iii) $\sqrt{5}\left(\frac{1}{5}\right)^{n-1}$

2) i) $t_7 = \frac{1}{81}$ ii) $t_6 = 7$ iii) $a = -7$ iv) $r = 3$

3) $t_{10} = 5^{10}$ 4) $x = \pm \frac{4}{9}$ 5) $t_1 = \frac{4}{25}, r = \frac{5}{2}$

6) 3, 6, 12 or 12, 6, 3

7) $\frac{1}{27}, \frac{1}{3}, 3, 27$ or $27, 3, \frac{1}{3}, \frac{1}{27}$

8) 1, 2, 4, 8, 16 or 1, -2, 4, -8, 16

11) 800 12) $80\left(\frac{3}{4}\right)^6$ ft, $80\left(\frac{3}{4}\right)^n$ ft

13) i) 6, -3 ii) $3(2)^{19}; -3$ iii) $3(2)^{n-1}; 3(-1)^{n-1}$

14) i) $200(1.1)^3$ ii) $200(1.1)^{10}$ iii) $200(1.1)^n$

15) i) 10 ii) 4 iii) $4(5)^{n-1}$

EXERCISE 2.2

1) i) $3(2^n - 1)$ ii) $\frac{p^2}{p-q} \left[1 - \left(\frac{q}{p} \right)^n \right]$ if $q < p$

and $\frac{p^2}{q-p} \left[\left(\frac{q}{p} \right)^n - 1 \right]$ if $q > p$

iii) $\frac{7}{9} \left[1 - \frac{1}{10^n} \right]$ iv) $\frac{-\sqrt{5}}{(\sqrt{5}+1)} \left[(-\sqrt{5})^n - 1 \right]$

2) i) $\frac{266}{243}$ ii) 3 3) i) 5 ii) $\frac{3}{5}$

4) i) 635 ii) 2046

5) i) $\frac{3}{81} [10(10^n - 1) - 9n]$

ii) $\frac{8}{81} [10(10^n - 1) - 9n]$

6) i) $\frac{4}{81} \left[9n - \left(1 - \frac{1}{10^n} \right) \right]$

ii) $\frac{7}{81} \left[9n - \left(1 - \frac{1}{10^n} \right) \right]$

7) i) $\frac{5}{9} \left[1 - \left(\frac{1}{10} \right)^n \right]$

ii) $\frac{2}{9} \left[1 - \left(\frac{1}{10} \right)^n \right]$

8) $t_n = 4(3)^{n-1}$

11) i) 6138

ii) $\frac{15}{2} [3^{10} - 1]$

12) 20.1 Lac

15) 10 years

EXERCISE 2.3

1) i) 1 ii) 6

iii) $-\frac{9}{4}$ iv) does not exist v) 90

2) i) $\frac{7}{9}$ ii) $\frac{22}{9}$ iii) $\frac{106}{45}$ iv) $\frac{2296}{45}$

3) 4 4) $-\frac{11}{6}$ 5) $\frac{15}{4}, \frac{15}{16}, \frac{15}{64}, \dots$

6) i) 4 ii) $-\frac{1}{4}$ iii) $\frac{8}{3}$ iv) $\frac{2}{3}$

7) i) 2 ii) $\frac{4\sqrt{2}}{\sqrt{2}-1}$ 8) 25 m

EXERCISE 2.4

1) (i) and (iii) are H.P ; (ii) is not H.P.

2) i) $\frac{1}{3n-1}; \frac{1}{23}$ ii) $\frac{1}{2n+2}; \frac{1}{18}$

iii) $\frac{1}{5n}; \frac{1}{40}$

3) 5 4) $\frac{24}{5}$ 5) 60 6) $\frac{3}{11}, \frac{3}{10}$

7) -3, 9 8) 4, 16 9) 4, 9

EXERCISE 2.5

1) i) $\frac{2(1-nx^n)}{1-x} + \frac{2x(1-x^{n-1})}{(1-x)^2}$

ii) $\frac{1-(3n-2)x^n}{1-x} + \frac{3x(1-x^{n-1})}{(1-x)^2}$

iii) $\frac{n(3^n)-1}{2} + \frac{3-3^n}{4}$ iv) $3[(n-1)2^n+1]$

2) i) $\frac{16}{9}$ ii) $\frac{75}{16}$ iii) $\frac{3}{16}$

EXERCISE 2.6

1) $\frac{n(4n^2+9n-1)}{6}$ 2) $\frac{n}{2}(2n^2+2n+1)$

3) $\frac{n(n+3)}{4}$ 4) $\frac{n(n+1)(n+2)}{12}$

5) $\frac{n}{3}(16n^2+48n+41)$

6) $\frac{2n(n+1)(2n+1)}{3}$ 7) 2485

8) $n^2(n+1)^2 + \frac{8.n(n+1)(2n+1)}{6} + \frac{3.n(n+1)}{2}$

9) 48

MISCELLANEOUS EXERCISE - 2

(I)

1	2	3	4	5	6	7	8	9	10
D	C	A	C	A	C	C	A	D	C

II)

1) 3072 2) $\frac{211}{81}$ 3) $\frac{3}{4}$

4) $a = \frac{49}{5}; r = \frac{5}{7}$ 5) 5,10,20 or 20,10,5

6) $\frac{1}{3}, 1, 3, 9, 27$ or $27, 9, 3, 1, \frac{1}{3}$

8) $\frac{2}{81}[10(10^n-1)-9n]$

9) $\frac{2}{3}\left(1-\frac{1}{10^n}\right)$ 10) $\frac{n}{6}(10n^2+27n-1)$

11) $\frac{n(n+1)(3n^2-17n+26)}{12}$

12) $\frac{n(n+1)(n+2)}{18}$ 13) $\frac{n(n+1)(2n+1)}{24}$

14) $6\left[\frac{n(n+1)(2n+1)}{6} + \frac{n(n+1)}{2}\right]$

15) $2n(n+1)(n+3)(n+4)$

16) $\frac{n(4n^2+15n+17)}{36}$

17) 2364

18) 9

19) 1275

20) 5

21) $\frac{7}{15}$

22) $\frac{1}{3}$

23) $2\left[1-\left(\frac{2}{3}\right)^n\right]$

24) 2

25) $2187\left[1-\left(\frac{2}{3}\right)^8\right]$

26) 1

27) 10, 20

(28) A.P.

32) $\frac{4}{45}$

33) $\frac{35}{16}$

3. PERMUTATIONS AND COMBINATIONS

EXERCISE 3.1

- 1) 50 ways
- 2) 12
- 3) i) 25 ii) 20
- 4) i) 100 ii) 48
- 5) 125
- 6) 124
- 7) 31
- 8) 90
- 9) 225
- 10) 24
- 11) 276
- 12) 207
- 13) 12
- 14) 216

- 4) i) 28 ii) 1
iii) 3003 iv) 6435
- 5) i) 1848 ii) 43/14
iii) 5 iv) 6
v) 8
- 6) i) 11 ii) 11
iii) 7 iv) 8
v) 5
- 10) i) $(2n + 1)(2n + 2)$ ii) $\frac{n + 3}{n - 2}$
iii) $\frac{-(n + 1)}{n(n - 2)!}$ iv) $(3n + 2)n!$
v) $\frac{n^2 + 1}{(n + 1)!}$ vi) $\frac{(n^2 + 1)}{(n + 1)!}$
vii) 0 viii) $\frac{1}{(n + 2)!}$

EXERCISE 3.3

EXERCISE 3.2

- 1) i) 40320 ii) 3628800
iii) 3628080 iv) 24
- 2) i) 665280 ii) 2
iii) 720 iv) 12
v) 84 vi) 29
vii) 57.93 viii) 20160
- 3) i) $\frac{10!}{4!}$ ii) $3^5 \times 5!$
iii) $\frac{9!}{5!}$ iv) $5^4 \times 4!$

- 1) $n = 9$
- 2) $m = 6, n = 2$
- 3) $r = 6$
- 5) a) 2401 b) 840
- 6) a) 30240 b) 151200
c) 43200 d) 5040
- 7) $\frac{12! \times 13!}{7}$
- 8) a) 1440 b) 720
c) 7! d) 240
e) 120 f) 120

- 9) 144
 10) a) 1296 b) 360
 11) 100
 12) 720 a) 120, b) 600
 13) 46800, 20800
 14) 243
 15) i) 2880 ii) 5040
 16) i) 120 ii) 48 iii) 72
 17) i) 720 ii) 144 iii) 288 iv) 144

EXERCISE 3.4

- 1) i) 120 ii) 60480
 iii) 30240 iv) 5040
 v) 302400
 2) 1260
 3) a) 70 b) 37
 4) $\frac{13!}{5!4!4!}$
 5) $\frac{12!}{2!3!2!}$
 6) $\frac{11!}{4!2!2!}$ a) 405720 b) $\frac{8!}{2!2!}$
 7) 210 8) 60
 9) $\frac{10!}{2!3!2!}$ 10) 1260, 1230
 11) 180 12) 144
 13) 36, 84 14) 180, 60
 15) a) 1800 b) 72

EXERCISE 3.5

- 1) $7! = 5040$ 2) $20!, 2 \cdot 18!$
 3) a) $2 \cdot 23!$ b) $21 \cdot 22!$

- 4) $\frac{14!}{2}$
 5) $2 \cdot 8!$
 6) a) $5! \times 2! = 240$ b) 2400
 7) $7! \times 8P_6$ 8) 144
 9) $\frac{9!}{4!}$ 10) $12 \cdot 13!$

EXERCISE 3.6

- 1) a) 1365 b) 3160 c) ${}^{16}C_5$ d) ${}^{19}C_{15}$
 2) a) $n = 2$ b) $n = 7$
 c) $n = 9$
 3) $r = 4$
 4) a) $n = 10, r = 3$ b) $n = 10, r = 4$
 5) $r = 8$ 6) 126
 7) 39200 8) 120
 9) 12 10) 190
 11) ${}^nC_2 - n$; a) 35 b) 90 c) 54 d) 20
 12) 190
 13) a) 45 b) 40
 14) a) 220 b) 216
 15) 151200
 16) i) $n = 20$ ii) $n = 4, 3$
 iii) $n = 1, 2$ iv) $n = r$
 v) $n = 6$
 17) $x = r!$ 18) $r = 7$
 19) 14161
 20) a) 2508 b) 1646 c) 5973
 21) 16 22) 2275
 23) 36873 ; 6885 24) 425
 25) 51051
 26) a) 84 b) 126

- 4) i) 924 ii) $35x^5, 35x^2$
 iii) $1120x^4$ iv) -252
 v) $-462x^9$ and $462x^2$
- 5) $k = 5$
- 6) 91854
- 7) $m = 8$

EXERCISE 4.4

- 1) i) $1 - 4x + 10x^2 - 20x^3 + \dots$
 ii) $1 - \frac{x}{3} - \frac{x^2}{9} - \frac{5x^3}{81} - \dots$
 iii) $1 + 3x^2 + 6x^4 + 10x^6 + \dots$
 iv) $1 - \frac{x}{5} + \frac{3x^2}{25} - \frac{11x^3}{125} + \dots$
 v) $1 - x^2 + x^4 - x^6 + \dots$
- 2) i) $a^{-3} \left[1 + \frac{3b}{a} + \frac{6b^2}{a^2} + \frac{10b^3}{a^3} + \dots \right]$
 ii) $a^{-4} \left[1 - \frac{4b}{a} + \frac{10b^2}{a^2} - \frac{20b^3}{a^3} + \dots \right]$
 iii) $a^{\frac{1}{4}} \left[1 + \frac{b}{4a} - \frac{3b^2}{32a^2} + \frac{7b^3}{128a^3} + \dots \right]$
 iv) $a^{-\frac{1}{4}} \left[1 + \frac{b}{4a} + \frac{5b^2}{32a^2} + \frac{15b^3}{128a^3} + \dots \right]$
 v) $a^{\frac{1}{3}} \left[1 - \frac{b}{3a} + \frac{2b^2}{9a^2} - \frac{14b^3}{81a^3} + \dots \right]$
- 3) i) $1 - 8x + 40x^2 + \dots$
 ii) $1 - \frac{3x}{2} + \frac{27x^2}{8} + \dots$
 iii) $2^{\frac{1}{3}} \left(1 - \frac{x}{2} - \frac{x^2}{4} \dots \right)$

$$\text{iv) } 5^{-\frac{1}{2}} \left(1 - \frac{2x}{5} + \frac{6x^2}{25} + \dots \right)$$

$$\text{v) } 5^{\frac{1}{3}} \left(1 + \frac{x}{5} + \frac{2x^2}{25} + \dots \right)$$

- 4) i) 9.9499 ii) 5.0133
 iii) 2.0025 iv) 0.9057
 v) 1.0625

MISCELLANEOUS EXERCISE - 4

(I)

1	2	3	4	5	6	7	8	9	10
B	C	C	A	A	D	D	D	B	D

(II)

- 4) $243x^{10} + 810x^8y + 1080x^6y^2 + 720x^4y^3 + 240x^2y^4 + 32y^5$
- 5) $\frac{16x^4}{81} - \frac{16x^2}{9} + 6 - \frac{9}{x^2} + \frac{81}{16x^4}$
- 6) $\frac{27}{2}x^4y^6$ 7) $\frac{1760}{x^3}$
- 8) i) -20 ii) $\frac{-63x^5}{8y^5}$
- iii) $280x^8y^6$ and $560x^6y^8$
- iv) $\frac{189}{16}x^6$ and $-\frac{21}{8}x^3$
- 9) i) 378 ii) 153
- 10) i) 2268 ii) 7920
- 12) ± 2 13) 2
- 14) $\frac{9}{7}$ 15) 2
- 18) $1 + \frac{x}{3} + \frac{x^2}{6} + \frac{5x^3}{54} + \dots$
- 19) $1 + \frac{x}{4} + \frac{5x^2}{32} + \frac{15x^3}{128} + \dots$

$$20) 5^{-\frac{1}{2}} \left[1 - \frac{2x}{5} + \frac{6x^2}{25} - \dots \right]$$

$$21) 9.9833$$

$$22) 0.2451$$

$$23) -80$$

$$24) a = 3, b = -2, c = 57$$

$$25) n = 9$$

$$26) n = 6; k = -2$$

5. SETS AND RELATIONS

EXERCISE 5.1

$$1) \text{ i) } A = \{M, O, V, E, N, T\}$$

$$\text{ii) } B = \{-1, 0, 1, 2, 3, 4\}$$

$$\text{iii) } C = \{3, 5, 7, \dots\}$$

$$2) \text{ i) } \{x \mid x \in W, x \notin N\}$$

$$\text{ii) } \{x \mid -3 \leq x \leq 3, x \in Z\}$$

$$\text{iii) } \{x \mid x = \frac{n}{n^2 + 1}, n \in N \text{ and } n \leq 7\}$$

$$\text{iv) } \{x \mid x = (-1)^{n-1} \times (n-1), n \in N\}$$

$$3) A \cup B \cup C = \left\{ \frac{-5}{3}, -1, \frac{-1}{2}, \frac{3}{2}, 3 \right\}$$

$$4) A \cap B \cap C = \{ \}$$

$$6) \text{ i) } 45 \quad \text{ii) } 10 \quad \text{iii) } 10 \quad \text{iv) } 25$$

$$7) \text{ i) } 132 \quad \text{ii) } 63$$

$$8) \text{ i) } 1750 \quad \text{ii) } 250 \quad \text{iii) } 1100$$

$$9) 42$$

$$10) \text{ i) } 114 \quad \text{ii) } 38 \quad \text{iii) } 188$$

$$11) P(A) = \{\emptyset, \{1\}, \{2\}, \{3\}, \{1,2\}, \{2,3\}, \{1,3\}, \{1,2,3\}\}$$

$$12) \text{ i) } \{x \mid x \in R, -3 < x < 0\}$$

$$\text{ii) } \{x \mid x \in R, 6 \leq x \leq 12\}$$

$$\text{iii) } \{x \mid x \in R, x > 6\}$$

$$\text{iv) } \{x \mid x \in R, x \leq 5\}$$

$$\text{v) } \{x \mid x \in R, 2 < x \leq 5\}$$

$$\text{vi) } \{x \mid x \in R, -3 \leq x < 4\}$$

$$13) 9$$

$$14) \text{ i) } (-8, 6]$$

$$\text{ii) } (-\infty, -4) \cup (5, \infty)$$

$$\text{iii) } (-\infty, 4) \cup \left[\frac{20}{3}, \infty \right) \quad \text{iv) } \left[\frac{1}{3}, \frac{1}{2} \right]$$

$$15) \text{ i) } (-7, 6]$$

$$\text{ii) } [2, 9]$$

$$\text{iii) } (-7, 3] \cup [4, 9] \quad \text{iv) } [2, 3]$$

$$\text{v) } [4, 6]$$

$$\text{vi) } \{ \}$$

$$\text{vii) } (3, 6]$$

$$\text{viii) } (-\infty, 2) \cup (9, \infty)$$

$$\text{ix) } [2, 4)$$

$$\text{iv) } (-7, 2)$$

EXERCISE 5.2

$$1) x = 2, y = -2$$

$$2) x = \frac{1}{6}, y = \frac{15}{2}$$

$$3) A \times B = \{(a,x), (b,x), (c,x), (a,y), (b,y), (c,y)\}$$

$$B \times A = \{(x,a), (x,b), (x,c), (y,a), (y,b), (y,c)\}$$

$$A \times A = \{(a,a), (a,b), (a,c), (b,a), (b,b), (b,c), (c,a), (c,b), (c,c)\}$$

$$B \times B = \{(x,x), (x,y), (y,x), (y,y)\}$$

$$4) P \times Q = \{(1,1), (1,4), (2,1), (2,4), (3,1), (3,4)\}$$

$$Q \times P = \{(1,1), (1,2), (1,3), (4,1), (4,2), (4,3)\}$$

$$6) \{(0,10), (6,8), (8,6), (10,0)\}$$

8) i) $R_1 = \{(2,4), (3,9), (5,25), (7,49), (11,121), (13,169)\}$

Domain $R_1 = \{2,3,5,7,11,13\}$

Range $R_1 = \{4,9,25,49,121,169\}$

ii) $R_2 = \{(1,1), (2, \frac{1}{2}), (3, \frac{1}{3}), (4, \frac{1}{4}), (5, \frac{1}{5})\}$

Domain $R_2 = \{1,2,3,4,5\}$

Range $R_2 = \{1, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5}\}$

iii) $R_3 = \{(1,3), (2,6), (3,9)\}$

Domain $R_3 = \{1,2,3\}$

Range $R_3 = \{3,6,9\}$

iv) $R_4 = \{(1,4), (1,6), (2,4), (2,6)\}$

Domain $R_4 = \{1,2\}$

Range $R_4 = \{4,6\}$

v) $R_5 = \{(0,3), (1,2), (2,1), (3,0)\}$

Domain $R_5 = \{0,1,2,3\}$

Range $R_5 = \{3,2,1,0\}$

vi) $R_6 = \{(1,4), (2,4), (3,4), (4,4), (5,4)\}$

Domain $R_6 = \{1,2,3,4,5\}$

Range $R_6 = \{4\}$

vii) $R_7 = \{(1,5), (2,4), (3,3), (4,2), (5,1)\}$

Domain $R_7 = \{1,2,3,4,5\}$

Range $R_7 = \{5,4,3,2,1\}$

viii) $R_8 = \{(1,3), (2,4), (3,5), (4,6)\}$

Domain $R_8 = \{1,2,3,4\}$

Range $R_8 = \{3,4,5,6\}$

MISCELLANEOUS EXERCISE - 5

I)

1	2	3	4	5	6	7	8	9	10
C	D	D	C	A	D	C	D	D	D

II)

1) i) $A = \{x / x = 10n, n \in \mathbb{N}, n \leq 5\}$

ii) $B = \{x / x \text{ is the vowel of English alphabet}\}$

iii) $C = \{x / x \text{ is a day of a week}\}$

2) i) $\{1,2,4,6,7,9,11\}$ ii) $\{ \}$

iii) $\{1,10\}$ iv) $\{2,4,6,7,11\}$

v) $\{1,2,3,4,5,6,7,8,9,10,11,12\}$

vi) $\{4,7\}$

3) 230 4) 12

5) i) $A \times A = \left\{ \begin{aligned} &(1,1), (1,2), (1,3), (2,1), (2,2), \\ &(2,3), (3,1), (3,2), (3,3) \end{aligned} \right\}$

$A \times B = \{(1,2), (1,4), (2,2), (2,4), (3,2), (3,4)\}$

$B \times A = \{(2,1), (2,2), (2,3), (4,1), (4,2), (4,4)\}$

$B \times B = \{(2,2), (2,4), (4,2), (4,4)\}$

$(A \times B) \cap (B \times A) = \{(2,2)\}$

ii) $A \times A \times A = \left\{ \begin{aligned} &(-1, -1, -1), (-1, -1, 1), (-1, 1, -1), \\ &(-1, 1, 1), (1, -1, -1), (1, -1, 1), \\ &(1, 1, -1), (1, 1, 1) \end{aligned} \right\}$

6) i) Yes; $D = \{1\}$, $R = \{4,5,6\}$

ii) Yes; $D = \{1,2,3\}$, $R = \{4,5,6\}$

iii) Yes; $D = \{1,2,3\}$, $R = \{4,5,6\}$

iv) No.

7) i) $D = \{1,2,3,4\}$, $R = \{4\}$

ii) $D = \{-2, -1, 0, 1, 2\}$, $R = \{0, 1, 2, 3\}$

8) i) $\{ \}$ ii) $A \times A$

9) reflexive, not symmetric and not transitive.

10) Yes

6. FUNCTION

EXERCISE 6.1

- 1) a) Yes b) No
c) No

- 2) a) No b) Yes
c) No d) Yes

- 3) a) Yes b) No
c) Yes d) Yes
e) No

- 4) a) 1 b) 19 c) $-\frac{1}{4}$ d) $x^2 - x - 1$
e) $x^2 + 3x + 1$ f) $h + 1$

- 5) a) $\frac{6}{5}$ b) ± 3 c) $\frac{1}{2}, -\frac{2}{3}$ d) 1, -2, 3

- 6) a) 0, ± 3 b) $\frac{17 \pm \sqrt{33}}{2}$

- 7) 1) $a = -2, b = 2$

- 8) a) $R; \left[-\frac{11}{7}, \infty\right)$ b) $R - \{2\}; R - \{1\}$
c) $(-5, \infty); R^+$ d) $R; R$ e) $[2, 5]; [0, \frac{3}{2}]$
f) $[3, 7]; [0, \infty]$ g) $[-4, 4]; [0, 4]$

- 9) a) $A = s^2$ b) $A = \frac{p^2}{16}$

- 10) a) $A = \pi r^2$ b) $A = \frac{\pi d^2}{4}$ c) $A = \frac{c^2}{4\pi}$

- 11) $x(30 - 2x)^2; (0, 15)$

- 12) Not a function; $f(0)$ has 2 values.

- 13) a) Injective but not surjective
b) neither injective nor surjective
c) neither injective nor surjective
d) injective but not surjective

- e) injective and surjective

16) $\frac{3}{16}$

17) a) $5 = \log_2 32$

b) $0 = \log_{54} 1$

c) $1 = \log_{23} 23$

d) $\frac{3}{2} = \log_9 27$

e) $-4 = \log_3 \left(\frac{1}{81}\right)$

f) $-2 = \log_{10} 0.01$

g) $\ln 7.3890 = 2$

h) $\ln 1.6487 = \frac{1}{2}$

i) $\ln 6 = -x$

18) a) $2^6 = 64$ b) $\frac{1}{25} = 5^{-2}$ c) $0.001 = 10^{-3}$

d) $8 = \left(\frac{1}{2}\right)^{-3}$ e) $e^0 = 1$ f) $e^1 = e$ g) $\frac{1}{2} = e^{-0.693}$

19) a) $(5, \infty)$

b) $(-\infty, 2) \cup (3, \infty)$

20) a) $\log p + \log q - \log r - \log s$

b) $\frac{1}{2} \log x + \frac{1}{3} \log y$

c) $3 \ln a + 2 \ln(a - 2) - \frac{1}{2} \ln(b^2 + 5)$

d) $2 \left[\frac{1}{3} \ln(x - 2) + 4 \ln(2x + 1) - \ln(x + 4) - \frac{1}{2} \ln(2x + 4) \right]$

21) a) $\log \left(\frac{x^5 y^7}{z} \right)$ b) $\log(\sqrt[3]{x-1} \sqrt{x})$

c) $\ln \left[\frac{x^2 - 4}{(x + 5)^3} \right]$

22) $\frac{5a + b}{2}$

24) $a = \frac{15}{4}, b = 9$

25) a) 3 b) 11,

c) 8

d) 1

EXERCISE 6.2

- 1) a) $9x+4$ b) 0 c) 238
d) $\frac{3x+5}{6x-1}; R - \left\{\frac{1}{6}\right\}$
- 2) $\{(2,4), (4,2), (5,4)\}$
- 3) a) $50x^2 - 40x + 11$ b) $10x^2 + 13$
c) $8x^4 + 24x^2 + 21$
d) $25x - 12$
- 5) a) f^{-1} does not exist
b) f^{-1} doesn't exist
c) $f^{-1}(x) = \frac{3x+7}{6}$
d) f^{-1} does not exist
e) $f^{-1} = \sqrt[3]{\frac{x-8}{9}}$
f) f^{-1} does not exist
- 6) a) 22 b) 7 c) 3
- 7) a) -18 b) -14 c) 5 d) 25
- 8) a) 10 b) -5
- 9) a) 25 b) -3 c) -15 d) 21
- 10) a) -5 b) 1.75 c) -4.4 d) -30
- 11) a) $(-\infty, -9], [1, \infty)$ b) 1.5, 4.5
c) $\{ \}$ d) $[-3, 3]$
f) $3+r; 0 \leq r < 1$ g) $\{ \}$
h) N, Z i) $n+0.5, n \in Z$
j) $x=0$

MISCELLANEOUS EXERCISE - 6

(I)

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

B	B	B	C	C	A	A	B	C	B
---	---	---	---	---	---	---	---	---	---

(II)

- 1) i) Function ; $\{2,4,6,8,10,12,14\}; \{1,2,3,4,5,6,7\}$
ii) Not a function
iii) Function ; $\{2,3,5\}; \{1,2\}$
- 2) i) not one one ii) one one
- 3) i) not onto ii) not onto
- 4) $f^{-1}(x) = \left(\frac{x+8}{5}\right)^{\frac{1}{3}}$
- 5) $f^{-1}(x) = \frac{5(x-2)}{3}$
- 6) 1, -3, does not exist
- 7) i) 2 ii) 0
- 8) $3x^4 - 12x^3 + 13x^2 - 2x + 5$
- 9) $a=4, f(4)=16$
- 10) $a=3, b=-2$
- 11) i) $g \circ f = \{(1,6), (2,8), (3,10), (4,12)\}$
ii) $g \circ f = \{(1,1), (2,64), (3,64), (4,27)\}$
- 12) i) $f \circ g = x^2 - 16x + 69, g \circ f = x^2 - 3$
ii) $f \circ g = 3x^2 - 2, g \circ f = 9x^2 - 12x + 4$
iii) $f \circ g = 256x^2, g \circ f = 16x^2$
- 15) $f \neq g$
- 19) 8 22) $\log 4$
- 23) $\log_{10} 5$
- 26) $\frac{3}{2}, \frac{1}{2}$ 33) 2
- 34) 3 37) -8
- 39) a) $(-3,0) \cup (2,5)$ b) $\{-2,2,4\}$
c) $[-3,-2] \cup [2,3]$ d) $(-2,8)$
e) $\left[\frac{13}{5}, 7\right)$ f) $\left[\frac{9}{2}, 5\right)$

- g) $x = 0$ h) $x = 6k, k \in \mathbb{Z}$ e) $(1, \infty)$
- 40) a) $\mathbb{R} - \{2, -3\}$ 42) a) $\text{fog}(x) = x = \text{gof}(x)$
 b) $[3, 4) \cup (4, 5)$ b) $\text{fog}(x) = x = \text{gof}(x)$
 c) $[-1, 1]$ d) W 43) a) $f(x) = 2x - 3$ or $-2x + 2$
 e) $\{1, 2, 3\}$ f) $[0, 1]$ b) $f(x) = x^2 + 2$
 g) $(-\infty, 3 - \sqrt{3}) \cup (3 + \sqrt{3}, \infty)$ 44) a) $\frac{x}{\sqrt{1+2x^2}}$ b) x
- 41) a) $[0, \infty)$ b) $[-\frac{1}{6}, \frac{1}{6}]$
 c) $(0, 1]$ d) $(-1, 0]$

7. LIMITS

EXERCISE 7.1

- I) 1) $-\frac{1}{\sqrt{3}}$ 2) 15 3) $-\frac{1}{25}$
- II) 1) $\frac{2\sqrt{3}}{3}$ 2) $-\frac{3}{16}$ 3) $\frac{3}{125}$ 4) $\pm \frac{2}{\sqrt{3}}$
- III) 1) $\frac{n(n+1)}{2}$ 2) $\frac{2}{3\sqrt[3]{7}}$ 3) 4 4) 4
- 5) $-\frac{1}{6}$ 6) 24 7) $\frac{3\sqrt{a+2}}{2}$
- 8) $294\sqrt{7}$ 9) n^2

EXERCISE 7.2

- I) 1) $-\frac{1}{4}$ 2) $-\frac{1}{2}$ 3) $-\frac{1}{2}$ 4) $-\frac{1}{2}$ 5) 8
- II) 1) $\frac{4}{3}$ 2) 0 3) 0 4) $2x-2$ 5) -3
 6) Does not exist
- III) 1) 3 2) -2 3) $\frac{1}{2}$ 4) 0 5) $-\frac{3}{a^2}$

EXERCISE 7.3

- I) 1) $\frac{1}{2\sqrt{6}}$ 2) $-\frac{1}{18}$ 3) -1 4) $\sqrt{2}$

- II) 1) $\frac{2}{3\sqrt{3}}$ 2) -8 3) $\frac{1}{8\sqrt{3}}$ 4) $\frac{1}{2a}$ 5) $-\frac{2}{3}$
- III) 1) $\frac{7}{2}$ 2) 1 3) 24 4) $-\frac{1}{3}$ 5) $\frac{1}{18}$

EXERCISE 7.4

- I) 1) $\frac{m}{n}$ 2) 2 3) 2 4) $\frac{1}{2}$
- II) 1) $\frac{n^2}{m^2}$ 2) $-\frac{1}{4}$ 3) $\frac{1}{\sqrt{2}}$
- III) 1) $\frac{a^2-b^2}{c^2}$ 2) $-\frac{1}{4\sqrt{2}}$ 3) $2\sqrt{2}$ 4) -3

EXERCISE 7.5

- I) 1) $\frac{1}{2}$ 2) $5a^{\frac{4}{5}} \cdot \cos a$ 3) $\frac{1}{8}$
 4) $\frac{1}{3}$ 5) $\frac{2}{\pi}$
- II) 1) $-\frac{1}{2\sqrt{3}}$ 2) $\frac{1}{16\sqrt{2}}$ 3) $\frac{1}{36}$
 4) $\frac{\cos \sqrt{a}}{2\sqrt{a}}$ 5) $-\frac{1}{2}$

EXERCISE 7.6

- I) 1) $\frac{\log\left(\frac{9}{5}\right)}{\log 4}$ 2) $\log \frac{15}{2}$ 3) $\log(abc)$
 4) $\log\left(\frac{40}{9}\right)$ 5) $\log 2$.
- II) 1) $(\log 3)^2$ 2) $e^{\frac{2}{3}}$ 3) $e^{14/3}$ 4) $-\frac{2}{3}$
 5) e^8 6) $e^{\frac{2}{3}}$
- III) 1) $\frac{1}{2} \log \frac{a}{b}$ 2) $\frac{(\log 2)^3}{\log 3}$ 3) $\log 3 \cdot \log 5$
 4) $(\log 5)^2$ 5) $\frac{1}{2} \left[\log\left(\frac{7}{5}\right) \right]^2$

EXERCISE 7.8

- I) 1) $\frac{a}{e}$ 2) 1 3) $\frac{7}{8}$
- II) 1) 7 2) 2 3) 2
- III) 1) 15 2) $\frac{256}{81}$ 3) $\frac{1}{2}$ 4) $\left(\frac{3}{2}\right)^{30}$ 5) 4

MISCELLANEOUS EXERCISE - 7

I)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
C	B	A	D	C	C	C	C	A	D	B	D	C	B	B

II)

- 1) $\frac{5}{3}$ 2) Does not exist 3) $2\pi r$
 4) Does not exist 5) 3 6) 21 7) $\frac{1}{2}$ 8) 1
 9) $-\frac{1}{10} \log 2$ 10) $2(\log a)^2$ 11) $\cos a$ (12) $\frac{1}{2}$
 13) $\frac{ab}{2} \log \frac{b}{a}$ 14) $\frac{(\log 5)^2}{\log 2}$
 15) $\frac{(2)^2(7)^3}{(5)^5} = \frac{1372}{3125}$ 16) $a \sin a + \cos a$
 17) $2\sqrt{2}$ 18) $(\log 2)^2$ 19) $(\log 2)^2$ 20) $\frac{1}{2}$
 21) Does not exist 22) $\frac{n(n+1)(4n-1)}{6}$
 23) $\frac{1}{256}$ 24) 2

8. CONTINUITY

EXERCISE 8.1

- 1) (i) Continuous at $x = -2$ (ii) Continuous at $x = \frac{\pi}{4}$ (iii) Discontinuous at $x = 3$
- 2) (i) Discontinuous. (ii) Continuous. (iii) Continuous
- 3) Discontinuous at $x = -2$, $x = -1$, $x = 0$, $x = 1$.
- 4) Continuous.
- 5) (i) Discontinuous. (ii) Continuous. (iii) Continuous (iv) Continuous (v) Discontinuous at $x = 2$
- 6) (i) Removable (ii) Jump (iii) Jump (iv) Removable
- 7) (i) Extension = 0 i.e. $f(0) = 0$ (ii) Extension = $7/2$, i.e. $f(0) = \frac{7}{2}$ (iii) Extension = $-2/3$, i.e. $f(-1) = -\frac{2}{3}$
- 8) (i) Discontinuous (ii) Discontinuous (iii) Continuous

- 9) (i) Removable, $f(0) = 3/2$
 (ii) Removable, $f(0) = 5/3$
 (iii) Removable, $f(0) = e^{-2}$
 (iv) Irremovable
 (v) Irremovable

- 10) (i) $-\frac{1}{4\sqrt{3}}$ (ii) $-\frac{4}{3}$ (iii) $4(\log 2)^2$
 11) (i) $\frac{3}{2}$ (ii) $(\log 5)^2$ (iii) $a = -18/5$, $b = 7$.
 (iv) $a = 2$, $b = -4$.
 (v) $a = 1/2$ and $b = 1/2$

12) Continuous

13) Continuous

[Clue : $(\sin x + \cos x)^3 = [(\sin x + \cos x)^2]^{3/2}$
 $= (1 + \sin 2x)^{3/2}$, Let $(1 + \sin 2x) = t$]

- 14) $p = -3$ and $q = 4$

MISCELLANEOUS EXERCISE - 8

(I)

1	2	3	4	5	6	7	8	9	10
A	D	D	B	A	B	A	B	C	C

- (II) (1) Continuous on its domain except at $x = 5$
 (2) Continuous on its domain except at $x = 5$

- (3) Discontinuous at $x = 0$
 (4) Continuous at $x = 1$
 (5) Discontinuous
 (6) Discontinuous at $x = -1, 0, 1$.
 (7) Continuous on $\mathbb{R}$, except at $x = 5$.

- (III) (1) Removable.
 (2) Jump
 (3) Continuous.

- (IV) (1) Removable

$$f(x) = \frac{(x+3)(x^2-6x+8)}{x^2-x-12}$$

$$= -5 \quad \text{for } x = -3$$

$$= 2 \quad \text{for } x = 4$$

- (2) Irremovable

- (V) (1) e^6 (2) 125

- (VI) (1) $a = 2$ $b = 4$

$$(2) a = -\frac{4}{5}, b = \frac{27}{5}$$

- (VII) (1) $f(1) = \frac{\pi}{2}$ (2) $f(\pi) = \frac{49}{10}$

- (VIII) (1) $f(1) < 0$ and $f(2) > 0$

$$(2) f(z) = 0; f(3) < 0 \text{ and } f(4) > 0$$

9. DIFFERENTIATION

EXERCISE 9.1

- 1) (a) $2x + 3$ b) $3 \cos(3x)$ c) $2e^{2x+1}$ d) $3^x \log 3$
 e) $\frac{2}{2x+5}$ f) $2 \sec^2(2x+3)$
 g) $5 \sec(5x-2) \tan(5x-2)$ h) $\frac{3\sqrt{x}}{2}$
 2) a) $\frac{1}{3}$ b) 2 c) $384 \log 2$ d) $\frac{2}{5}$
 e) $3e^2$ f) $\frac{1}{\sqrt{2}}$

- 5) i) Continuous and differentiable
 ii) Continuous and differentiable
 6) Neither continuous nor differentiable at $x = 2$
 7) Continuous but not differentiable
 8) Continuous but not differentiable
 9) Continuous and differentiable

EXERCISE 9.2

(I) (1) $\frac{4}{3}x^{\frac{1}{3}} + e^x - \cos x$

(2) $\frac{1}{2\sqrt{x}} + \sec^2 x - 3x^2$

(3) $\frac{1}{x} + \cos \operatorname{csc} x \cdot \cot x + 5^x \log 5 + \frac{9}{2x^{\frac{5}{2}}}$

(4) $\frac{7}{3}x^{\frac{4}{3}} + \frac{4}{x^{\frac{1}{5}}} + \frac{2}{x^{\frac{7}{5}}}$

(5) $7^x \log 7 + 7x^6 - \sqrt{x} - \frac{1}{x}$

(6) $-3 \cos \operatorname{csc}^2 x - 5e^x + \frac{3}{x} + \frac{3}{x^{\frac{7}{4}}}$

(II) (1) $x^4(x \sec^2 x + 5 \tan x)$

(2) $x^2(1 + 3 \log x)$

(3) $(x^2 + 2)[(x^2 + 2) \cos x + 4x \sin x]$

(4) $e^x \left(\frac{1}{x} + \log x \right)$

(5) $\sqrt{x}e^x[1 + x \log x + \frac{3}{2} \log x]$

(6) $3x^2(1 + 3 \log x)$

(III)

(1) $\frac{5}{2}x^{\frac{3}{2}} + x^3(1 + 4 \log x)$

(2) $e^x \sec x(\tan x + 1) - x^{\frac{2}{3}}(1 + \frac{5}{3} \log x)$

(3) $4x^3 - x^{\frac{3}{2}} \sin x + \frac{3}{2} \sqrt{x} \cos x - xe^x(x + 2)$

(4) $(x^3 - 2) \sec^2 x + 3x^2 \tan x + x \sin x - \cos x + x^6 \cdot 7^x(7 + x \log 7)$

(5) $\frac{\sin x}{x} + \cos x \log x + e^x(-\sin x + \cos x) - e^x \left(\frac{1 + 2x}{2\sqrt{x}} \right)$

(6) $e^x(\sec^2 x + \tan x) + \frac{\cos x}{x} - \sin x \log x - 5^x \left(\frac{2x \log 5 + 1}{2\sqrt{x}} \right)$

(IV) (1) $-\frac{16x}{(x^2 - 5)^2}$

(2) $-\frac{5}{\sqrt{x}(\sqrt{x} - 5)^2}$

(3) $\frac{e^x(x^2 + e^x)}{(x + e^x)^2}$

(4) $\frac{x + (\log x)^2}{(x + \log x)^2}$

(5) $\frac{x^2(1 + \sin x + x \cos x) + x \sin 2x}{(x + \cos x)^2}$

(6) $\frac{2e^x}{(3e^x - 2)^2}$

(V) (1) $f(x) = 5x^2 - 18x + 3$

(2) $f(x) = (\sqrt{3} + 1) \sin x + (\sqrt{3} - 1) \cos x$

MISCELLANEOUS EXERCISE - 9

I. (1) C (2) D (3) C (4) B

(5) B (6) D (7) A (8) C

II. (1) Differentiable

(2) $p = -3$, $q = 5$

(3) $p = 1/3$, $q = -4/3$

(4) $p = \pi/2$, $q = (2 - \pi)/2$

(5) Not Differentiable

(6) Not Differentiable

(7) Not Differentiable.

(8) Differentiable

(9) 2. Hint : Add and subtract $2f(2)$ in numerator.

(10) $\frac{e}{2}$




Practical Notebook for Standard XI

Practical Notebook Cum Journal - Mathematics

**English
Medium**

**Price
₹ 52.00**



- Based on Government approved syllabus and textbook
- Inclusion of practicals based on all chapters as per Evaluation scheme.
- With full of various activities, pictures, figures/ diagrams, etc.
- Inclusion of objective/multiple choice questions
- Inclusion of useful questions for oral examination
- More questions for practice and separate space for writing answers

Practical notebooks are available for sale in the regional depots of the Textbook Bureau.

(1) Maharashtra State Textbook Stores and Distribution Centre, Senapati Bapat Marg, Pune 411004 ☎ 25659465
 (2) Maharashtra State Textbook Stores and Distribution Centre, P-41, Industrial Estate, Mumbai - Bengaluru Highway, Opposite Sakal Office, Kolhapur 416122 ☎ 2468576 (3) Maharashtra State Textbook Stores and Distribution Centre, 10, Udyognagar, S. V. Road, Goregaon (West), Mumbai 400062 ☎ 28771842
 (4) Maharashtra State Textbook Stores and Distribution Centre, CIDCO, Plot no. 14, W-Sector 12, Wavanja Road, New Panvel, Dist. Rajgad, Panvel 410206 ☎ 274626465 (5) Maharashtra State Textbook Stores and Distribution Centre, Near Lekhanagar, Plot no. 24, 'MAGH' Sector, CIDCO, New Mumbai-Agra Road, Nashik 422009 ☎ 2391511 (6) Maharashtra State Textbook Stores and Distribution Centre, M.I.D.C. Shed no. 2 and 3, Near Railway Station, Aurangabad 431001 ☎ 2332171 (7) Maharashtra State Textbook Stores and Distribution Centre, Opposite Rabindranath Tagore Science College, Maharaj Baug Road, Nagpur 440001 ☎ 2547716/2523078 (8) Maharashtra State Textbook Stores and Distribution Centre, Plot no. F-91, M.I.D.C., Latur 413531 ☎ 220930 (9) Maharashtra State Textbook Stores and Distribution Centre, Shakuntal Colony, Behind V.M.V. College, Amravati 444604 ☎ 2530965




ebalbharati

E-learning material (Audio-Visual) for Standards One to Twelve is available through Textbook Bureau, Balbharati...

- Register your demand by scanning the Q.R. Code given alongside.
 - Register your demand for E-learning material by using Google play store and downloading ebalbharati app.
- www.ebalbharati.in, www.balbharati.in





Maharashtra State Bureau of Textbook Production and Curriculum Research, Pune - 411 004.

गणित आणि संख्याशास्त्र (कला व विज्ञान) [इंग्रजी माध्यम] भाग-२, इ. ११ वी

₹ 122.00